

Commercial Price List

Computer Equipment, Workstations/Servers, Storage, Displays:

Compass Series Workstations & Servers		
Compass Core SFF Wrkstn w/Core i7-7700	TFTATX-1P1S-7804SFF	\$1 654,00
Compass Core mATX Wrkstn 7700K M4000	TFTATX-1P1S-7924	\$3 035,00
Compass Core ATX Wrkstn w/ Core i7-7700	TFTATX-1P1S-7804	\$1 728,00
Compass Core ATX Wrkstn w/2x 2620v4 Win10	TFTATX-2P2S-7900-W10	\$4 869,00
Compass Core ATX Wrkstn w/2x 2620v4 RHW	TFTATX-2P2S-7900-RHW	\$4 942,00
Compass Core ATX Wrkstn w/2x 2620v4+HS	TFTATX-2P2S-8099	\$3 521,00
Compass ITX Slim SFF w/ Intel Core i7-6700	TFTITX-1P1S-7854	\$CALL
Compass RTG Wrkstn Core i3/Win10/OF2016	TFTATX-1P1S-7908	\$1 281,00
Compass Embed Wrkstn Core i5/RHEL Wrkstn	TFTATX-1P1S-7586-RH	\$2 352,00
Compass Embed Wrkstn (2xHDD/2xLAN)- W7P	TFTATX-1P1S-7397-WIN7-i5	\$2 027,00
Compass Embed Wrkstn Core i5/Server 2012	TFTATX-1P1S-7586-2K12	\$3 315,00
Compass Rugged Portable i5 4590/8400/SSD	TFTPRT-1P1S-7088	\$4 217,00
Compass Rugged Portable i7 5930K/GTX/SSD	TFTPRT-1P1S-7708	\$6 929,00
Compass Rugged Portable E3-1240v5/P2000	TFTPORT-1P1S-8167	\$6 178,00
Compass Rugged Portable E3/P2000/1xSSD	TFTPORT-1P1S-8167-MOD1	\$5 670,00
Compass Processor Blade 2660/256	TFTBLD-4P4S-7405-2660	\$15 301,00
Compass Processor Blade 2695/256	TFTBLD-4P4S-7405-2695	\$18 697,00
Compass Processor Blade 2698/256	TFTBLD-4P4S-7405-2698	\$21 912,00
Compass Processor Blade 2699/256	TFTBLD-4P4S-7405-2699	\$25 914,00
Compass Processor Blade 2699/512	TFTBLD-4P4S-7405-2699/512	\$35 101,00
Compass N 2U 2x Node w/2650/x520	TFT2U-4P4S-7647-2650	\$26 194,00
Compass N 2U 2x Node w/2680/x520/4x1G	TFT2U-4P4S-7222-512	\$33 075,00
Compass N 2U PRO 2x Node 2680v4/x710/1TB	TFT2U-2N4P4S-8030	\$51 280,00
Compass N 1U PRO 2x Node 2680v4/x710/1TB	TFT1U-2N4P4S-8030	\$45 753,00
Compass N 4x Node w/2660/x710	TFT2U-8P8S4N-8198-10G	\$23 811,00
Compass N 4x Node w/2680/4x1TB 850/x710	TFT2U-8P8S4N-8198-2680	\$28 448,00
Compass 4U SD (18.89")2389 Rail/Crte	TFT4U-2P2S-6165	\$CALL
Compass 4U SD (18.89")2389 No RI/Crt	TFT4U-2P2S-6165	\$CALL
Compass CSB 4U w/ X10DAX/2697	TFT4U-2P2S-7265-E5_2697	\$24 245,00
Compass CSB 4U w/ X10DAX/2699	TFT4U-2P2S-7265-E5_2699	\$23 617,00
Compass CSB 2U 16x2.5"/2699	TFT2U-2P2S-7294	\$19 284,00
Compass CSB 2U SD 4xDB9 RUG	TFT2U-1P1S-8211	\$2 640,00
Compass CSB "SlingShot" Standard Edition	TFT2U-2P2S-7980-V2	\$6 566,00
Compass CSB 3U SD 2698/10G/VIB	TFT3U-2P2S-8068	\$12 616,00
CompassCSB 4U 2658/10G/40G/128	TFT4U-2P2S-8026	\$7 189,00
CompassCSB 1U 2630/10G/No GPU	TFT1U-2P2S-7375-2630	\$4 752,00
CompassCSB 1U 2630/10G/GT740	TFT1U-2P2S-7375-2630/740	\$4 659,00
CompassCSB1U 2630/10G/1x GT730/6x500GB	TFT1U-2P2S-7375-2630/730/6H	\$4 625,00
CompassCSB1U 2630/10G/2x GT730/1x 1TB	TFT1U-2P2S-7375-2630/730	\$4 658,00
CompassCSB1U 2630/10G/2x GT730/4x500GB	TFT1U-2P2S-7375-2630/2x730/4H	\$4 542,00
CompassCSB 1U 2630/10G/GT630	TFT1U-2P2S-7375-2630/630	\$4 565,00
CompassCSB 1U 2630/10G/GT740/BM	TFT1U-2P2S-7375	\$5 919,00
CompassCSB 1U 2630/10G/GT730/BM	TFT1U-2P2S-7375-730	\$5 457,00
CompassCSB 1U 2630/10G/2xGT730/BM/2xHd	TFT1U-2P2S-7375-730/2x500	\$5 448,00
CompassCSB 1U 2640v4/10G/128G/No GPU	TFT1U-2P2S-7375-2640v4/128	\$4 894,00

Kontena 3U 36-Bay – N/D	TFT3U-2P2S-8194	\$9 273,00
Kontena 3U 36-Bay – 170T	TFT3U-2P2S17H-8194	\$15 604,00
Kontena 2U 4TB	TFT2U-2P2S-6338	\$6 083,00
Kontena 2U 8TB	TFT2U-2P2S-6338-8T	\$6 585,00
Kontena 2U 16TB	TFT2U-2P2S-6338-16T	\$7 157,00
Kontena 2U 24TB	TFT2U-2P2S-6338-24T	\$8 164,00
Kontena 2U 12x Bay 3.5 Dual Channel	TFT2U-OP0S0H-7646	\$4 040,00
Kontena 2U 24x Bay 2.5 Single Channel	TFT2U-OP0S0H-7651	\$4 910,00
Kontena 2U 24x Bay NVM Storage Server	TFT2U-2P2S-7861-2630/128	\$14 210,00
Kontena STOR Chassis w/ LTO3/6 SAS	TFT1U-OP0S-LT03/6-7445	\$3 583,00
Kontena STOR Chassis w/ AIT3/5 SCSI	TFT1U-OP0S-AIT3/5-7404**	\$4 053,00
Laptops/Notebooks/Tablets		
Precision7710PRO (Custom BIOS)(1535/P5K)	TFTLAP-PRE7720-8165	\$7 019,00
Precision7710PRO (Custom BIOS)(1575/1080)	TFTLAP-PRE7710-PRO1575-7669	\$7 982,00
Precision7710PRO (Custom BIOS)(2TB PRO/4K)	TFTLAP-PRE7710-PRO-7669	\$7 595,00
Precision7710PRO (Custom BIOS)(1x1TB/no2T)	TFTLAP-PRE7710-PRO-7669/2	\$5 343,00
Precision7710PRO (Custom BIOS)(1535/no2T)	TFTLAP-PRE7710-PRO1535-No2T	\$6 502,00
Precision7510PRO (Custom BIOS)(2TB PRO/4K)	TFTLAP-PRE7510-PRO-7675	\$6 220,00
Precision5510PRO (Custom BIOS)(2TB PRO)	TFTLAP-PRE5510-PRO-7670	\$4 602,00
TI Development Systems		
TI16 DEV w/10G	TI16DEV-TOWER- 7423-10G	\$4 398,00
TI16 DEV w/o 10G	TI16DEV-TOWER- 7423-No10G	\$4 173,00
TI16 DEV w/10G Rack	TI16DEV-RACK- 7423-10G	\$4 494,00
TI16 DEV w/o 10G Rack	TI16DEV-RACK- 7423	\$4 269,00
TI14 DEV w/10G C606	TI14DEV-TOWER-6706-10G	\$4 825,00
TI14 DEV w/o 10G C606	TI14DEV-TOWER-6706	\$4 202,00
TI14 DEV w/ 10G 4U Rack C606	TI14DEV-RACK-6706-10G	\$4 894,00
TI14 DEV w/o 10G 4U Rack C606	TI14DEV-RACK-6706	\$4 269,00
TI12 DEV w/10G & IPMI	TI12DEV-TOWER-6061+	\$CALL
TI12 DEV no 10G/no IPMI	TI12DEV-TOWER-6061	\$CALL
TI12 DEV w/10G & IPMI Rack	TI12DEV-TOWER-6061R+	\$CALL
TI12 DEV no 10G/no IPMI Rack	TI12DEV-TOWER-6061R	\$CALL
TI10 DEV w/Flash	TI10DEV-CF-01-5423	\$CALL
TI10 DEV no Flash (TI12 Bayhost)	TI10DEV-NOCF-01-5423	\$CALL
TI10 DEV w/Flash Rackmount	TI10DEV-CF-01-5423R	\$CALL
TI10 DEV no Flash Rackmount	TI10DEV-NOCF-01-5423R	\$CALL
TI08 DEV w/Flash	TI08DEV-CF-01	\$CALL
TI08 DEV no Flash (TI10 Bayhost)	TI08DEV-NOCF-01	\$CALL
TI08 DEV w/Flash Rackmount	TI08DEV-CF-01 (Rackmount)	\$CALL
TI08 DEV no Flash Rackmount	TI08DEV-NOCF-01 (Rackmount)	\$CALL
TI16 Equivalent		
TI16-B01 Equivalent	TI16-B01-7401	\$2 682,00
TI16-S01 Equivalent 2U	TI16-S01-7424	\$5 176,00
TI16-S01 Equivalent 3U	TI16-S01-7424-3U (TFT3U-2P2S-7714)	\$4 603,00
TI16-S01 Equivalent 4U	TI16-S01-7424-4U	\$4 573,00
TI16-S03 Equivalent (HDD not included)	TI16-S03-7425	\$4 383,00
TI16-S04 Equivalent*	TI16-S04-7417	\$13 708,00
TI16-S05 Equivalent	TI16-S05-7426	\$2 998,00
TI16-S06 Equivalent	TI16-S06-7427	\$4 238,00
TI16-S07 Equivalent	TI16-S07-7428	\$5 308,00

TI16-S07 Equivalent (no Sealevel)	TI16-S07-7428-NoSEA	\$3 287,00
TI16-S08 Equivalent	TI16-S08-7441	\$7 219,00
TI16-S09 Equivalent	TI16-S09-7479	\$5 733,00
TI16-S09 Equivalent *MOD*	TI16-S09-7478	\$11 850,00
TI16-S10 Equivalent*	TI16-S10-7432	\$14 915,00
TI16-S10 Equivalent (No Sabtech)	TI16-S10-7432-NoSAB	\$5 186,00
TI16-S15 Equivalent	TI16-S15-7431	\$2 727,00
TI16-S16 Equivalent	TI16-S16-7429	\$2 689,00
TI16-S19 Equivalent	TI16-S19-7955	\$4 087,00
TI16-S20 Equivalent 2U	TI16-S20-7430	\$3 410,00
TI16-S24 Equivalent *	TI16-S24-7956	\$25 619,00
TI16-S29 Equivalent (no HDD)	TI16-S29-7482	\$5 543,00
TI16-S30 Equivalent	TI16-S30-7433	\$6 325,00
TI16-S31 Equivalent	TI16-S31-7400	\$9 462,00
TI16-S34 Equivalent*	TI16-S34-7957	\$13 717,00
TI16-S40 Equivalent	TI16-S40-7958	\$3 647,00
TI16-S43 Equivalent	TI16-S43-7434	\$6 014,00
TI16-S43 Equivalent *MOD*	TI16-S43-7443	\$5 742,00
TI16-S44 Equivalent*	TI16-S44-7959	\$10 889,00
TI16-S45 Equivalent	TI16-S45-7435	\$3 653,00
TI16-S46 Equivalent	TI16-S46-7440	\$2 986,00
TI16-S48 Equivalent *	TI16-S48-7436	\$8 559,00
TI16-S59 Equivalent	TI16-S59-7437	\$4 749,00
TI16-S60 Equivalent	TI16-S60-7438	\$3 734,00
TI16-S61 Equivalent	TI16-S61-7410	\$8 416,00
TI16-S64 Equivalent	TI16-S64-7960	\$12 948,00
TI16-S64 Equivalent (no Sedna)	TI16-S64-7960	\$3 714,00
TI16-S67 Equivalent	TI16-S67-7411	\$20 299,00
TI16-S68 Equivalent	TI16-S68-7412	\$8 775,00
TI16-S69 Equivalent	TI16-S69-7414	\$7 058,00
TI16-S272 Equivalent	TI16-S272-7611	\$5 972,00
TI16-S272 Equivalent	TI16-S272-7611-MOD1	\$5 666,00
TI16-S401 Equivalent	TI16-S401-7457	\$4 066,00
TI16-S403 Equivalent	TI16-S403-7458	\$4 269,00
TI16-S406 Equivalent	TI16-S406-7459	\$3 498,00
TI16-S416 Equivalent	TI16-S416-7460	\$3 058,00
TI16-S417 Equivalent	TI16-S417-7461	\$4 038,00
TI16-S420 Equivalent	TI16-S420-7462	\$3 397,00
TI16-S421 Equivalent	TI16-S421-7463-FH**	\$4 024,00
TI16-S422 Equivalent	TI16-S422-7464	\$3 646,00
TI16-S423 Equivalent	TI16-S423-7465	\$3 646,00
TI16-S424 Equivalent	TI16-S424-7466	\$3 646,00
TI16-S425 Equivalent	TI16-S425-7467	\$3 646,00
TI16-S430 Equivalent	TI16-S430-7468	\$3 044,00
TI16-S432 Equivalent	TI16-S432-7469	\$3 211,00
TI16-S433 Equivalent	TI16-S433-7470-FH**	\$3 824,00
TI16-S434 Equivalent	TI16-S434-7474	\$5 343,00
TI16-S445 Equivalent	TI16-S445-7471	\$3 997,00
TI16-SB405 Equivalent	TI16-SB405-7472	\$3 523,00
TI16-SB406 Equivalent	TI16-SB406-7473	\$3 392,00

TI16-J401 Equivalent	TI16-J401-7456	\$9 211,00
TI16-J201 Equivalent	TI16-J201-7452	\$5 419,00
TI16-J201 Equivalent	TI16-J201-7452-MOD1	\$6 721,00
TI16-J201 Equivalent	TI16-J201-7452-MOD2	\$4 274,00
TI16-J01 Equivalent (LTO6)	TI16-J01-7439	\$3 304,00
TI16-J01 Equivalent (LTO7)	TI16-J01-7439-LTO7	\$4 257,00
TI16-J02 Equivalent	TI16-J02-7476	\$16 695,00
TI16-J03 Equivalent	TI16-J03-7475	\$1 789,00
TI16-J04 Equivalent	TI16-J04-7483	\$6 728,00
TFTWEAPONSSIM-TOWER-7418*	TI16 Weap. Sim ATX Tower (5x 32bit PCI)	\$1 363,00
TFTWEAPONSSIM-RACK-7418*	TI16 Weap. Sim Rackmount (5x 32bit PCI)	\$1 756,00
TI16 BAYHOST	*****	\$CALL
TI16 AEGIS	TFT1U-2P2S-8187	\$5 490,00
TI14 Equivalents		
TI14-S01 Equivalent 2U	TI14-S01-6708	\$5 419,00
TI14-S01 Equivalent 4U	TI14-S01-6708-4U	\$5 624,00
TI14-S03 Equivalent	TI14-S03-6714 (No HDDs)	\$5 353,00
TI14-S04 Equivalent	TI14-S04-6733	\$14 268,00
TI14-S05 Equivalent (No SPAC)	TI14-S05-6716	\$3 473,00
TI14-S06 Equivalent	TI14-S06-6709	\$3 621,00
TI14-S07 Equivalent	TI14-S07-6710	\$CALL
TI14-S08 Equivalent %	TI14-S08-7730 (No HDDs)	\$8 497,00
TI14-S10 Equivalent %	TI14-S10-6745	\$15 832,00
TI14-S10 Equivalent %	TI14-S10-6745X (NO NTDS/128GB)	\$5 098,00
TI14-S15 Equivalent	TI14-S15-6751	\$7 224,00
TI14-S16 Equivalent	TI14-S16-6720	\$3 221,00
TI14-S19 Equivalent	TI14-S19-6691	\$4 293,00
TI14-S20 Equivalent	TI14-S20-6712	\$CALL
TI14-S29 Equivalent %	TI14-S29-6739	\$6 817,00
TI14-S30 Equivalent %	TI14-S30-6737	\$5 959,00
TI14-S31 Equivalent *	TI14-S31-6736	\$11.216,00
TI14-S43 Equivalent	TI14-S43-6722	\$6 344,00
TI14-S44 Equivalent	TI14-S44-6700	\$11 121,00
TI14-S45 Equivalent	TI14-S45-6721	\$3 971,00
TI14-S46 Equivalent	TI14-S46-6735	\$3 618,00
TI14-S47 Equivalent	TI14-S47-6762	\$6 076,00
TI14-S48 Equivalent	TI14-S48-6711	\$CALL
TI14-S60 Equivalent	TI14-S60-6713	\$3 809,00
TI14-S60 Equivalent w/4x 3.5" 500GB	TI14-S60-6713-3.5	\$3 825,00
TI14-S79 Equivalent %	TI14-S79-6752(X4)(Fully populated)	\$23 006,00
TI14-S406 Equivalent	TI14-S406-6696	\$3 218,00
TI14-J01 Equivalent	TI14-J01-6717	\$3 542,00
TI14-J02 Equivalent	TI14-J02-6701	\$12 643,00
TI14-J04 Equivalent	TI14-J04-6715	\$5 022,00
TI14-J05 Equivalent	TI14-J05-6692	\$16 238,00
TI14-WAIF Equivalent	TI14-WAIF-6704	\$3 190,00
TI14 BAYHOST	*****	
TI12 Equivalents		
TI12-S01 Equivalent	TI12-S01-6062 DP EQUIV 2U Server	\$CALL
TI12-S03 Equivalent	TI12-S03-6070 Rec/DB EQUIV 2U Server	\$CALL

TI12-S05 Equivalent	TI12-S05-6071 SC EQUIV 1U Server	\$CALL
TI12-S06 Equivalent	TI12-S06-6063 AP EQUIV 1U Server	\$CALL
TI12-S07 Equivalent	TI12-S07-6064 TCIP EQUIV 1U Server	\$CALL
TI12-S16 Equivalent	TI12-S16-6074 AP EQUIV 1U Server	\$CALL
TI12-S20 Equivalent	TI12-S20-6065 TWIN EQUIV 1U Server	\$CALL
TI12-S43 Equivalent	TI12-S43-6075 AMC EQUIV 1U Server	\$CALL
TI12-S48 Equivalent	TI12-S48-6066 PVS EQUIV 1U Server	\$CALL
TI12-S50 Equivalent	TI12-S50-6068 SCCI EQUIV 1U Server	\$CALL
TI12-S60 Equivalent	TI12-S60-6067 LPH EQUIV 1U Server	\$CALL
TI12-J01 Equivalent	TI12-J01-6069 STORAGE EQUIV 1U Server	\$CALL
TI12 BAYHOST	See TI10DEV-NOCF-01-5423	
IA Radiant Mercury (TI12-S60 3.5 HD)	TI12-S60-6067-3.5+HD	\$3 859,00
TI10 Equivalents		
TI10-S01 Equivalent	TI10-S01-5475 DP EQUIV 2U Server	\$CALL
TI10-S02 Equivalent	TI10-S02-5649 AUX EQUIV 1U Server	\$CALL
TI10-S03 Equivalent	TI10-S03-5483 EQUIV Server	\$CALL
TI10-S05 Equivalent	TI10-S05-5651 SC EQUIV 1U Server	\$CALL
TI10-S06 Equivalent	TI10-S06AP-5476 AP EQUIV 1U Server	\$CALL
TI10-S07 Equivalent	TI10-S07-5485 TCIP Server Equivalent*	\$CALL
TI10-S08 Equivalent	TI10-S08-5481 Weapon PP EQUIV 1U	\$CALL
TI10-S09 Equivalent	TI10-S09-5477 PVS EQUIV 1U Server*	\$CALL
TI10-S10 Equivalent	TI10-S10-5482 LPH EQUIV 3U Server*	\$CALL
TI10-S16 Equivalent	TI10-S16-5484 AP EQUIV 1U Server	\$CALL
TI10-S20 Equivalent	TI10-S20-5479 IOP:DM/PP EQUIV 2U	\$CALL
TI10-S43 Equivalent	TI10-S43-5654 AMC EQUIV 1U Server	\$CALL
TI10-S53 Equivalent	TI10-S53-5478 STORAGE EQUIV 1U	\$CALL
TI10-S60 Equivalent	TI10-S60-5480 EG EQUIV 1U Server	\$CALL
TI10 BAYHOST	See TI08DEV-NOCF-01	
TI08 Equivalents		
TI08-S01 EQUIV	TI08-S01-1 EQUIV 2U Server	\$CALL
TI08-S02 EQUIV	TI08-S02-2 EQUIV 1U Server	\$CALL
TI08-S03 EQUIV	TI08-S03-1 EQUIV 1U Server	\$CALL
TI08-S06 EQUIV	TI08-S06-1 EQUIV 1U Server	\$CALL
TI08-S08 EQUIV	TI08-S08-1 EQUIV 1U Server*	\$CALL
TI08-S09 EQUIV	TI08-S09-1 EQUIV 1U Server	\$CALL
TI08-S10 EQUIV	TI08-S10-1 EQUIV 3U Server*	\$CALL
TI08-S13 EQUIV	TI08-S13-2 EQUIV 1U Server w/CF RW	\$CALL
TI08-S13 EQUIV	TI08-S13-2 EQUIV 1U Server w/o CF RW	\$CALL
TI08-S28 EQUIV	TI08-S28-2 EQUIV 1U Server w/CF RW	\$CALL
TI08-S28 EQUIV	TI08-S28-2 EQUIV 1U Server w/o CF RW	\$CALL
TI08-S31 EQUIV	TI08-S31-5537 EQUIV 2U Server	\$CALL
TI08-S51 EQUIV	TI08-S51-1 EQUIV 2U Server	\$CALL
TI08-S52 EQUIV	TI08-S52-1 EQUIV 1U Server	\$CALL
TI08-S53 EQUIV	TI08-S53-1 EQUIV 1U Server	\$CALL
TI08-S54 EQUIV	TI08-S54-1 EQUIV 1U Server	\$CALL
TI08-JBOD EQUIV	TI08-J01-3 EQUIV 2U JBOD	\$CALL
TI06 Equivalents		
TI06-S01 EQUIV	TI06-S01-x EQUIV 2U Server*	\$CALL

TI06-S02 EQUIV	TI06-S02-x EQUIV 1U Server	\$CALL
TI06-S03 EQUIV	TI06-S03-x EQUIV 1U Server	\$CALL
TI06-S06 EQUIV	TI06-S06-x EQUIV 1U Server	\$CALL
TI06-S09 EQUIV	TI06-S09-x EQUIV 1U Server	\$CALL
TI06-S11 EQUIV	TI06-S11-2 EQUIV 2U Server**	\$CALL
TI06-S12 EQUIV	TI06-S12-2 EQUIV 2U Server*	\$CALL
TI06-S17 EQUIV	TI06-S17-1 EQUIV 2U Server*	\$CALL
TI06-J01 EQUIV	TI06-J01-2 EQUIV 4U JBOD	\$CALL
Displays		
Optical Drives		
LG 24x 5.25" DVD-ReWriter	GH24NSB0	\$29,99
LG 8x Slim Tray Load DVDRW	GTC0N	\$31,99
LG 6x Slim Tray Load BDRW	BT30N	\$99,99
LG 16x BluRay ReWriter	WH16NS40	\$79,99
Pioneer 6x Tray Load BDRW	BDR-TDR05	\$119,99
TEAC 6x Slot Load BDRW	BD-W26SS-BM3	\$279,99
RAM/Memory Kits		
Hard Disks and Solid State Drives		
HGST 450GB UStar C10K1800 SAS 10K 4KN SE	HUC101845CS4204 (0B31237)	\$269,99
HGST 450GB UStar C10K1800 SAS 10K 512E SE	HUC101845CS4204 (0B31232)	\$269,99
HGST 450GB UStar C10K1800 SAS 10K 4KN TCG	HUC101845CS4201 (0B30877)	\$289,99
HGST 600GB UStar C10K1800 SAS 10K 4KN SE	HUC101860CS4204 (0B31238)	\$339,99
HGST 600GB UStar C10K1800 SAS 10K 512N SE	HUC101860CSS204 (0B31229)	\$339,99
HGST 600GB UStar C10K1800 SAS 10K 4KN TCG	HUC101860CS4201 (0B30873)	\$359,99
HGST 900GB UStar C10K1800 SAS 10K 4KN SE	HUC101890CS4204 (0B31239)	\$409,99
HGST 900GB UStar C10K1800 SAS 10K 512N SE	HUC101890CSS204 (0B31230)	\$409,99
HGST 900GB UStar C10K1800 SAS 10K 4KN TCG	HUC101890CS4204 (0B30874)	\$429,99
HGST 1.8TB UStar C10K1800 SAS 10K 4KN SE	HUC101818CS4204 (0B31241)	\$629,99
HGST 1.8TB UStar C10K1800 SAS 10K 512E SE	HUC101818CS4204 (0B31236)	\$629,99
HGST 1.8TB UStar C10K1800 SAS 10K 4KN TCG	HUC101818CS4201 (0B30876)	\$669,99
Seagate 500GB Non Ent SATA 3.5"	ST500DM009	\$64,99
Seagate 1TB Ent. SATA 512N 3.5"	ST1000NM0045	\$124,99
Seagate 2TB Ent. SATA 512N 3.5"	ST2000NM0045	\$179,99
Seagate 4TB Ent. SATA 512N 3.5"	ST4000NM0045	\$289,99
	ST6000NM0115	\$344,99
Seagate 8TB Ent. SATA 512E 3.5"	ST8000NM0055	\$449,99
Seagate 500GB Thin SATA 7.2K 2.5"/7mm	ST500LM021	\$59,99
Seagate 1TB Thin SATA 5.4K 2.5"/7mm	STBD1000100	\$79,99
Seagate 2TB Thin SATA 5.4K 2.5"/9.5mm	ST2000LM007	\$119,99
Seagate 3TB LT SATA 5.4K 2.5"/15mm	ST3000LM016	\$159,99
Seagate 4TB LT SATA 5.4K 2.5"/15mm	ST4000LM016	\$198,99
Seagate 300GB 10K 6G SAS 2.5" SED	ST300MM0026	\$169,99
Seagate 600GB 10K 6G SAS 2.5" SED	ST600MM0026	\$259,99
Seagate 600GB 10K 12G SAS 4KN 2.5"	ST600MM0008	\$CALL
Seagate 600GB 10K 12G SAS 512E 2.5"	ST600MM0018	\$CALL
Seagate 600GB 10K 12G SAS 512N 2.5"	ST600MM0208	\$CALL

Samsung 512GB 850Pro SATA2.5" SSD	MZ-7KE512BW	\$279,99																				
Samsung 1TB 850Pro SATA2.5" SSD	MZ-7KE1T0BW	\$529,99																				
Samsung 2TB 850Pro SATA2.5" SSD	MZ-7KE2T0BW	\$999,99																				
Samsung 960 EVO 256GB NVME M.2 SSD	MZ-V6E250BW	\$149,99																				
Samsung 960 EVO 512GB NVME M.2 SSD	MZ-V6E500BW	\$259,99																				
Samsung 960 EVO 1TB NVME M.2 SSD	MZ-V6E1T0BW	\$529,99																				
Samsung 960 PRO 512GB NVME M.2 SSD	MZ-V6P512BW	\$349,99																				
Samsung 960 PRO 1TB NVME M.2 SSD	MZ-V6P1T0BW	\$649,99																				
Samsung 960 PRO 2TB NVME M.2 SSD	MZ-V6P2T0BW	\$1299,99																				
TelecomSys 128GB R-Spec 2.5" SSD	TTMA25S128AMNN	\$769,99																				
TelecomSys 256GB R-Spec 2.5" SSD	TTMA25S256AMNN	\$979,99																				
Custom External HDD/SSD Enclosures																						
USB 3.0 - ICY MB991SK-B (SATA ONLY)	TFTEXT-525U3-7391	\$107,00																				
SFF ICY MB991SK (SAS/SATA-SFF8088)	TFTITX-MB991SK-7357	\$352,00																				
Rackmount and Standalone Tape Drives																						
Quantum LTO4 HH Internal SAS	TC-L42AN-BR-C	\$1 719,00																				
Quantum LTO5 HH Internal SAS	TC-L52AN-BR-C	\$1 759,00																				
Quantum LTO6 HH Internal SAS	TC-L62AN-BR-C	\$2 145,00																				
Quantum LTO6 1U Rackmount SAS	TC-L63CN-AR-C	\$2 731,00																				
Quantum LTO7 HH Internal SAS	TC-L72AN-BR-C	\$2 490,00																				
Quantum LTO7 1U Rackmount SAS	TC-L73CN-AR-C	\$3 469,00																				
HP ProLiant ML 310e G8 v2																						
724162-425	HP ML310e G8 v2 Intel® Xeon® E3-1220v3 (3.1GHz/4-core/8MB) / 4GB(1x4GB) UDIMM PC3L-10600E																			1 513,0	850,0	
	1x1TB SATA NHP LFF / B120i RAID / 2x1Gb Network adapter / DVD-RW / 1x350W																					
	Chipset :	Intel® C222																				
	Maximum Internal Storage :	Non Hot Plug SATA 12.0TB (4 x 3TB 3.5"), Non Hot Plug SAS 2.4TB (4 x 600GB 3.5")																				
	Storage Controller :	HP Dynamic Smart Array B120i Controller Supports RAID 0/1/10 only																				
	Memory :	HP SmartMemory DDR3 Unbuffered (UDIMM)																				
		Maximum Capacity (UDIMM) 32 GB (4 x 8 GB)																				
	Network Controller :	HP Ethernet 1Gb 2-port 330i Adapter																				
	Expansion Slots :	Slot 1: PCIe 2.0, x1 (x4 connector) Half Length/Full Height																				
		Slot 2: PCIe 2.0, x4 (x8 connector) Full Length/Full Height																				
		Slot 3: PCIe 3.0, x8 (x8 connector) Full Length/Full Height																				
		Slot 4: PCIe 3.0, x8 (x16 connector) Full Length/Full Height																				
	Ports :	10 USB 2.0 ports: 4 front , 4 rear, 1 internal standard USB and 1 internal USB header																				
	Power Supply :	HP 350W Factory Integrated Power Supply Kit																				
	Form Factor :	Tower (4U)																				
	Warranty :	1Year																				
470065-798	HP ML310e G8 v2 Intel® Xeon® E3-1220v3 (3.1GHz/4-core/8MB) / 4GB(1x4GB) UDIMMPC3L-10600E																			2 011,4	1 130,0	
	2x1TB SATA NHP LFF / B120i RAID / 2x1Gb Network adapter / DVD-RW / 1x350W / 3-3-3 NBD Care Pack																					
	Chipset :	Intel® C222																				
	Maximum Internal Storage :	Non Hot Plug SATA 12.0TB (4 x 3TB 3.5"), Non Hot Plug SAS 2.4TB (4 x 600GB 3.5")																				
	Storage Controller :	HP Dynamic Smart Array B120i Controller Supports RAID 0/1/10 only																				
	Memory :	HP SmartMemory DDR3 Unbuffered (UDIMM)																				
		Maximum Capacity (UDIMM) 32 GB (4 x 8 GB)																				
	Network Controller :	HP Ethernet 1Gb 2-port 330i Adapter																				
	Expansion Slots :	Slot 1: PCIe 2.0, x1 (x4 connector) Half Length/Full Height																				
		Slot 2: PCIe 2.0, x4 (x8 connector) Full Length/Full Height																				
		Slot 3: PCIe 3.0, x8 (x8 connector) Full Length/Full Height																				
		Slot 4: PCIe 3.0, x8 (x16 connector) Full Length/Full Height																				

		Ports: 10 USB 2.0 ports: 4 front , 4 rear, 1 internal standard USB and 1 internal USB header							
		Power Supply: HP 350W Factory Integrated Power Supply Kit							
		Form Factor: Tower (4U)							
		Warranty: 3-3-3 NBD Care Pack							
HP ProLiant ML 350e G8									
470065-738		HP ML350e G8 Intel® Xeon® E5-2420 (1.9GHz/6-core/15MB) / 8GB(2x4GB) UDIMM PC3L-10600E						3 364,2	1 890,0
		1x500GB SATA 6G HP LFF / B120i/512MB FBWC RAID / 2x1Gb Network adapter / DVD-RW / 1x460W							
		Chipset : Intel® C600							
		Upgradeability: Upgradeable to two processors, Total 8, 12 or 16 cores							
		Maximum Internal Storage : 4 LFF Hot Plug SATA HDD Bays only							
		Storage Controller: HP Dynamic Smart Array B120i/512MB FBWC Controller Supports RAID 0/1/5/10 only							
		Memory: HP SmartMemory DDR3 Registered (RDIMM) or Unbuffered (UDIMM)							
		Maximum Capacity (UDIMM) 96 GB (12 x 8 GB), (RDIMM) 128 GB (12 x 16GB)							
		Network Controller : HP Ethernet 1Gb 2-port 361i Adapter							
		Expansion Slots: Slot 1: PCIe 2.0, x1 (x4 connector) Half Length/Full Height							
		Slot 2: PCIe 2.0, x4 (x8 connector) Full Length/Full Height							
		Slot 3: PCIe 3.0, x8 (x16 connector) Full Length/Full Height							
		Slot 4: PCIe 3.0, x16 (x16 connector) Full Length/Full Height							
		Slot 5: PCIe 3.0, x16 (x16 connector) Full Length/Full Height							
		Slot 6: PCIe 3.0, x4 (x8 connector) Full Length/Full Height							
		Ports: 10 USB 2.0 ports: 4 front , 4 rear, 2 internal							
		Power Supply: HP 460W Factory Integrated Power Supply Kit, Note:this power supply is non-redundant and is factory integrated only.							
		Form Factor: Tower (5U)							
		Warranty: 3 Year							
470065-725		HP ML350e G8 Intel® Xeon® E5-2407 (2.2GHz/4-core/10MB) / 8GB(2x4GB) UDIMM PC3L-10600E						3 933,8	2 210,0
		2x1TB SATA 6G NHP LFF / B120i RAID / 2x1Gb Network adapter / DVD-RW / 1x460W							
		Chipset : Intel® C600							
		Upgradeability: Upgradeable to two processors, Total 8, 12 or 16 cores							
		Maximum Internal Storage : 4 LFF Non Hot Plug SATA HDD Bays only							
		Storage Controller: HP Dynamic Smart Array B120i Controller Supports RAID 0,1,10 only							
		Memory: HP SmartMemory DDR3 Registered (RDIMM) or Unbuffered (UDIMM)							
		Maximum Capacity (UDIMM) 96 GB (12 x 8 GB), (RDIMM) 128 GB (12 x 16GB)							
		Network Controller : HP Ethernet 1Gb 2-port 361i Adapter							
		Expansion Slots: Slot 1: PCIe 2.0, x1 (x4 connector) Half Length/Full Height							
		Slot 2: PCIe 2.0, x4 (x8 connector) Full Length/Full Height							
		Slot 3: PCIe 3.0, x8 (x16 connector) Full Length/Full Height							
		Slot 4: PCIe 3.0, x16 (x16 connector) Full Length/Full Height							
		Slot 5: PCIe 3.0, x16 (x16 connector) Full Length/Full Height							
		Slot 6: PCIe 3.0, x4 (x8 connector) Full Length/Full Height							
		Ports: 10 USB 2.0 ports: 4 front , 4 rear, 2 internal							
		Power Supply: HP 460W Factory Integrated Power Supply Kit, Note:this power supply is non-redundant and is factory integrated only.							
		Form Factor: Tower (5U)							
		Warranty: 3 Year							
HP ProLiant ML 350p G8									
470065-657		HP ML350p G8 Intel® Xeon® E5-2603 (1.8GHz/4-core/10MB) / 8GB(1x8GB) RDIMM PC3L-10600R						5 268,8	2 960,0
		2x300GB SAS 10K HP SFF / P420i/512MB FBWC RAID / 4x1Gb Network adapter / DVD-RW / 1x460W							
		Chipset : Intel® C600							
		Upgradeability: Upgradeable to two processors, Total 4, 8, 12 ,16, 20 or 24 cores							
		Maximum Internal Storage : Installed 8 SFF Hot Plug Bays only : Up to 24 SFF Hard Drive Bays							

	Storage Controller:	HP Smart Array P420i/512M FBWC Controller Supports RAID 0/1/1+0/5/5+0/6/6+0 only					
	Memory:	HP SmartMemory DDR3 Load Reduced (LRDIMM), Registered (RDIMM) or Unbuffered (UDIMM)					
		Maximum Capacity (UDIMM) 128 GB (16 x 8 GB), (RDIMM) 384 GB (24 x 16GB), (LRDIMM) 768 GB (24 x 32GB)					
	Network Controller :	HP 1Gb Ethernet 4-port 331i Adapter					
	Expansion Slots:	Slot 1: PCIe 3.0, x8 (x16 connector) Half Length/Full Height					
		Slot 2: PCIe 3.0, x4 (x8 connector) Half Length/Full Height					
		Slot 3: PCIe 3.0, x16 (x16 connector) Full Length/Full Height					
		Slot 4: PCIe 3.0, x4 (x8 connector) Full Length/Full Height					
		Slot 5: PCIe 2.0, x4 (x8 connector) Full Length/Full Height					
		Slot 6: PCIe 3.0, x16 (x16 connector) Full Length/Full Height					
		Slot 7: PCIe 3.0, x4 (x8 connector) Full Length/Full Height					
		Slot 8: PCIe 3.0, x16 (x16 connector) Full Length/Full Height					
		Slot 9: PCIe 3.0, x4 (x8 connector) Full Length/Full Height					
	Ports:	10 USB 2.0 ports: 4 front , 4 rear, 2 internal					
	Power Supply:	HP 460W Common Slot Gold Hot Plug Power Supply Kit					
	Form Factor:	Tower (5U)					
	Warranty:	3 Year					
669132-425		HP ML350p G8 Intel® Xeon® E5-2620 (2.0GHz/6-core/15MB) / 8GB(2x4GB) RDIMM PC3L-10600R				5 909,6	3 320,0
		2x300GB SAS 10K HP SFF / P420i/512MB RAID / 4x1Gb Network adapter / 1x460W					
	Chipset :	Intel® C600					
	Upgradeability:	Upgradeable to two processors, Total 4, 8, 12, 16, 20 or 24 cores					
	Maximum Internal Storage :	Installed 8 SFF Hot Plug Bays only : Up to 24 SFF Hard Drive Bays					
	Storage Controller:	HP Smart Array P420i/512M Controller Supports RAID 0/1/1+0/5/5+0/6/6+0 only					
	Memory:	HP SmartMemory DDR3 Load Reduced (LRDIMM), Registered (RDIMM) or Unbuffered (UDIMM)					
		Maximum Capacity (UDIMM) 128 GB (16 x 8 GB), (RDIMM) 384 GB (24 x 16GB), (LRDIMM) 768 GB (24 x 32GB)					
	Network Controller :	HP 1Gb Ethernet 4-port 331i Adapter					
	Expansion Slots:	Slot 1: PCIe 3.0, x8 (x16 connector) Half Length/Full Height					
		Slot 2: PCIe 3.0, x4 (x8 connector) Half Length/Full Height					
		Slot 3: PCIe 3.0, x16 (x16 connector) Full Length/Full Height					
		Slot 4: PCIe 3.0, x4 (x8 connector) Full Length/Full Height					
		Slot 5: PCIe 2.0, x4 (x8 connector) Full Length/Full Height					
		Slot 6: PCIe 3.0, x16 (x16 connector) Full Length/Full Height					
		Slot 7: PCIe 3.0, x4 (x8 connector) Full Length/Full Height					
		Slot 8: PCIe 3.0, x16 (x16 connector) Full Length/Full Height					
		Slot 9: PCIe 3.0, x4 (x8 connector) Full Length/Full Height					
	Ports:	10 USB 2.0 ports: 4 front , 4 rear, 2 internal					
	Power Supply:	HP 460W Common Slot Gold Hot Plug Power Supply Kit					
	Form Factor:	Tower (5U)					
	Warranty:	3 Year					
HP Proliant DL 360e G8							
470065-740		HP DL360e G8 Intel® Xeon® E5-2407 (2.2GHz/4-core/10MB) / 4GB(1x4GB) PC3L-10600E				3 293,0	1 850,0
		1x1TB SATA 6G HP LFF / B120i RAID / 4x1Gb Network adapter / 1x460W					
	Chipset :	Intel® C600					
	Upgradeability:	Upgradeable to two processors, Total 8, 12 or 16 cores					
	Maximum Internal Storage :	4 LFF Hot Plug Bays only					
	Storage Controller:	HP Dynamic Smart Array B120i Controller Supports RAID 0,1,10 only					
	Memory:	HP SmartMemory DDR3 Load Reduced (LRDIMM), Registered (RDIMM) or Unbuffered (UDIMM)					
		Maximum Capacity (UDIMM) 96 GB (12 x 8 GB), (RDIMM) 192 GB (12 x 16GB), (LRDIMM) 384 GB (12 x 32GB)					
	Network Controller :	HP Ethernet 1Gb 4-port 366i Adapter					
	Expansion Slots:	Slot 1: PCIe 3.0, x16 (x16 connector) Full Height / Half Length slot (250mm)					
		Slot 2: PCIe 3.0, x4 (x8 connector) Low Profile Slot					

		Ports: 7 USB 2.0 ports: 4 rear, 2 front , 1 internal (secure)							
		Power Supply: HP 460W Common Slot Gold Hot Plug Power Supply Kit							
		Form Factor: 1U Rack form factor, 1.7" Height x 17.11" Width x 27.5" Length							
		Warranty: 3 Year							
HP Proliant DL 360p G8									
470065-744	HP DL360p G8 Intel® Xeon® E5-2609 (2.4GHz/4-core/10MB) / 16GB(2x8GB) RDIMM PC3L-10600R							5 340,0	3 000,0
	2x300GB SAS 10K HP SFF / P420i/512MB FBWC RAID / 4x1Gb Network adapter / DVD-RW / 1x460W								
	Chipset : Intel® C600 Series, Intel® E5-2600 Processor Family								
	Upgradeability: Upgradeable to two processors, Total 4, 8, 12 ,16, 20 or 24 cores								
	Maximum Internal Storage: 8 SFF drive bays total with Optical drive bay, 10 SFF bays without optical								
	Storage Controller : HP Smart Array P420i/512M FBWC Controller Supports RAID 0/1/1+0/5/5+0/6/6+0 only								
	Memory : HP SmartMemory DDR3 Load Reduced (LRDIMM), Registered (RDIMM) or Unbuffered (UDIMM)								
	Maximum Memory Capacity Maximum Capacity (UDIMM) 128 GB (16 x 8 GB), (RDIMM) 384 GB (24 x 16GB), (LRDIMM) 768 GB (24 x 32GB)								
	Network Controller : HP Ethernet 1Gb 4-port 331FLR Adapter								
	Expansion Slots: Slot 1: PCIe 3.0, x8 (x8 connector) Low profile slot Activated when installed with processor 1								
	Slot 2: PCIe 3.0, x16 (x16 connector) Half-length, full-height slot Activated when installed with processor 1								
	Ports: 7 USB 2.0 ports: 4 rear, 2 front, 1 internal (secure)								
	Form Factor : 1U Rack form factor, 1.7" Height x 17.11" Width x 27.5" Length								
	Power Supply: HP 460W Common Slot Gold Hot Plug Power Supply Kit								
	Warranty : 3 Years								
670637-425	HP DL360p G8 Intel® Xeon® E5-2620 (2.0GHz/6-core/15MB/95W) / 8GB(2x4GB) PC3L-10600R							6 995,4	3 930,0
	3x146GB SAS 15K HP SFF / P420i/1GB FBWC RAID / 4x1Gb Network adapter / DVD-RW / 1x460W								
	Chipset : Intel® C600 Series, Intel® E5-2600 Processor Family								
	Upgradeability: Upgradeable to two processors, Total 4, 8, 12 ,16, 20 or 24 cores								
	Maximum Internal Storage: 8 SFF drive bays total with Optical drive bay, 10 SFF bays without optical								
	Storage Controller : HP Smart Array P420i/512M FBWC Controller Supports RAID 0/1/1+0/5/5+0/6/6+0 only								
	Memory : HP SmartMemory DDR3 Load Reduced (LRDIMM), Registered (RDIMM) or Unbuffered (UDIMM)								
	Maximum Memory Capacity Maximum Capacity (UDIMM) 128 GB (16 x 8 GB), (RDIMM) 384 GB (24 x 16GB), (LRDIMM) 768 GB (24 x 32GB)								
	Network Controller : HP Ethernet 1Gb 4-port 331FLR Adapter								
	Expansion Slots: Slot 1: PCIe 3.0, x8 (x8 connector) Low profile slot Activated when installed with processor 1								
	Slot 2: PCIe 3.0, x16 (x16 connector) Half-length, full-height slot Activated when installed with processor 1								
	Ports: 7 USB 2.0 ports: 4 rear, 2 front, 1 internal (secure)								
	Form Factor : 1U Rack form factor, 1.7" Height x 17.11" Width x 27.5" Length								
	Power Supply: HP 460W Common Slot Gold Hot Plug Power Supply Kit								
	Warranty : 3 Years								
HP Proliant DL 380e G8									
687571-425	HP DL380e G8 Intel® Xeon® E5-2420 (1.9GHz/6-core/15MB) / 8GB(2x4GB) RDIMM PC3L-10600R							4 414,4	2 480,0
	Diskless HP SAS or SATA SFF / B320i/512MB FBWC RAID / 4x1Gb Network adapter / DVD-RW / 2x460W								
	Chipset : Intel® C600 Series Chipset, Intel® E5-2600 Processor Family								
	Upgradeability: Upgradeable to two processors, Total (20 Cores)								
	Maximum Internal Storage : Installed 8 SFF Hot Plug Bays total with Optical Bay : Up to 25 SFF drive bays total without Optical Bay								
	Storage Controller : HP Dynamic Smart Array B320i/512MB FBWC Controller Supports RAID 0/1/1+0/5 only								
	Memory : HP SmartMemory DDR3 Load Reduced (LRDIMM), Registered (RDIMM) or Unbuffered (UDIMM)								
	Maximum Memory Capacity Maximum Capacity (UDIMM) 96 GB (12 x 8 GB), (RDIMM) 192 GB (12 x 16GB), (LRDIMM) 384 GB (12 x 32GB)								
	Network Controller : HP Ethernet 1Gb 4-port 366i Adapter								
	Expansion Slots: Slot 1: PCIe 3.0, x4 (x8 connector) Full Length, Full Height Slot								
	Slot 2: PCIe 3.0, x8 (x16 connector) Half Length, Full Height Slot								
	Slot 3: PCIe 3.0, N/A (N/A connector) N/A Not available for Riser with SAS								
	Slot 4: PCIe 2.0, x4 (x8 connector) Low Profile								
	Slot 5: PCIe 3.0, x16 (x16 connector) Half Length, Full Height Slot								

		Slot 6: PCIe 3.0, x8 (x16 connector) Half Length, Full Height Slot							
		Ports: 7 USB 2.0 ports: 4 back, 2 front, 1 internal (secure)							
		Form Factor: 2U Rack, 3.44" (8.74 cm) Height x 17.54" (44.55 cm) Width x 27.5" (69.85 cm) Length							
		Power Supply: HP 460W Common Slot Gold Hot Plug Power Supply Kit							
		Warranty: 3 Years							
HP ProLiant DL 380p G8									
470065-656		HP DL380p G8 Intel® Xeon® E5-2609 (2.40GHz/4-core/10MB) / 8GB(1x8GB) RDIMM PC3L-10600R						6 141,0	3 450,0
		2x300GB SAS 10K HP SFF / P420i/512MB FBWC RAID / 4x1Gb Network adapter / DVD-RW / 1x460W							
		Chipset: Intel® C600 Series Chipset, Intel® E5-2600 Processor Family							
		Upgradeability: Upgradeable to two processors, Total (24 Cores)							
		Maximum Internal Storage: Installed 8 SFF Hot Plug Bays total with Optical Bay : Up to 25 SFF drive bays total without Optical Bay							
		Storage Controller: HP Smart Array P420i/512MB FBWC (RAID 5+0/1, 1+0/ 1)							
		Memory: HP SmartMemory DDR3 Load Reduced (LRDIMM), Registered (RDIMM) or Unbuffered (UDIMM)							
		Maximum Memory Capacity: Maximum Capacity (UDIMM) 128 GB (16 x 8 GB), (RDIMM) 384 GB (24 x 16GB), (LRDIMM) 768 GB (24 x 32GB)							
		Network Controller: HP Ethernet 1Gb 4-port 331FLR Adapter							
		Expansion Slots: Slot 1: PCIe 3.0, x16 (x16 connector) Full Length, Full Height Slot when installed 1 proc							
		Slot 2: PCIe 3.0, x8 (x8 connector) Half Length, Full Height Slot when installed 1 proc							
		Slot 3: PCIe 3.0, x4 (x8 connector) Half Length, Full Height Slot							
		Ports: 7 USB 2.0 ports: 4 back, 2 front, 1 internal							
		Form Factor: 2U Rack, 3.44" (8.74 cm) Height x 17.54" (44.55 cm) Width x 27.5" (69.85 cm) Length							
		Power Supply: HP 460W Common Slot Gold Hot Plug Power Supply Kit							
		Warranty: 3 Years							
733646-425		HP ProLiant DL380p G8 Intel® Xeon® E5-2620v2 (2.1GHz/6-core/15MB) / 16GB(2x8GB) RDIMM PC3L-12800R						7 351,4	4 130,0
		3x300GB SAS 10K HP SFF / P420i/1GB FBWC RAID / 4x1Gb 4x1Gb Network adapter / DVD-RW / 1x750W							
		Chipset: Intel® C600 Series Chipset, Intel® E5-2600 Processor Family							
		Upgradeability: Upgradeable to two processors, Total (24 Cores)							
		Maximum Internal Storage: Installed 8 SFF Hot Plug Bays total with Optical Bay : Up to 25 SFF drive bays total without Optical Bay							
		Storage Controller: HP Smart Array P420i/512MB FBWC (RAID 5+0/1, 1+0/ 1)							
		Memory: HP SmartMemory DDR3 Load Reduced (LRDIMM), Registered (RDIMM) or Unbuffered (UDIMM)							
		Maximum Memory Capacity: Maximum Capacity (UDIMM) 128 GB (16 x 8 GB), (RDIMM) 384 GB (24 x 16GB), (LRDIMM) 768 GB (24 x 32GB)							
		Network Controller: HP Ethernet 1Gb 4-port 331FLR Adapter							
		Expansion Slots: Slot 1: PCIe 3.0, x16 (x16 connector) Full Length, Full Height Slot when installed 1 proc							
		Slot 2: PCIe 3.0, x8 (x8 connector) Half Length, Full Height Slot when installed 1 proc							
		Slot 3: PCIe 3.0, x4 (x8 connector) Half Length, Full Height Slot							
		Ports: 7 USB 2.0 ports: 4 back, 2 front, 1 internal							
		Form Factor: 2U Rack, 3.44" (8.74 cm) Height x 17.54" (44.55 cm) Width x 27.5" (69.85 cm) Length							
		Power Supply: 750W Platinum Plus hot plug power supply kit Common Slot							
		Warranty: 3 Years							
Accessories for HP Servers									
		Processor							
587476-B21		HP DL380 G7 Intel® Xeon® E5620 (2.40GHz/4-core/12MB/80W) Processor Kit						1 495,2	840,0
654766-B21		HP DL360p Gen8 Intel® Xeon® E5-2609 (2.4GHz/4-core/10MB/80W) Processor Kit						1 044,9	587,0
661132-B21		HP DL380e Gen8 Intel® Xeon® E5-2407 (2.2GHz/4-core/10MB/80W) Processor Kit						890,0	500,0
662252-B21		HP DL380p Gen8 Intel® Xeon® E5-2609 (2.40GHz/4-core/10MB/80W) Processor Kit						1 044,9	587,0
662250-B21		HP DL380p Gen8 Intel® Xeon® E5-2620 (2.0GHz/6-core/15MB/95W) Processor Kit						1 584,2	890,0
715221-B21		HP DL380p Gen8 Intel® Xeon® E5-2620v2 (2.1GHz/6-core/15MB/80W) Processor Kit						1 657,2	931,0
660595-B21		HP ML350p Gen8 Intel® Xeon® E5-2603 (1.8GHz/4-core/10MB/80W) Processor Kit						715,6	402,0
665868-B21		HP ML350e Gen8 Intel® Xeon® E5-2420 (1.9GHz/6-core/15MB/95W) Processor Kit						1 424,0	800,0
660598-B21		HP ML350p Gen8 Intel® Xeon® E5-2620 (2.0GHz/6-core/15MB/95W) Processor Kit						1 575,3	885,0

	HDD SATA 3.5"														
658071-B21	HP 500GB 6G SATA 7.2K rpm LFF (3.5-inch) Hot Plug For HP DL160 G8/DL320e G8/DL360e G8/DL360p G8/DL380e G8/DL380p G8/ML310e G8/ML350e G8/ML350p G8											551,8		310,0	
659337-B21	HP 1TB 6G SATA 7.2K rpm LFF (3.5-inch) Non-hot plug Midline For HP DL160 G8/DL320e G8/ML310e G8/ML350e G8											391,6		220,0	
657750-B21	HP 1TB 6G SATA 7.2K rpm LFF (3.5-inch) Hot Plug SC Midline For HP DL160 G8/DL320e G8/DL360e G8/DL360p G8/DL380e G8/DL380p G8 DL385p G8/ML310e G8/ML350e G8/ML350p G8											631,9		355,0	
658079-B21	HP 2TB 6G SATA 7.2K rpm LFF (3.5-inch) Hot Plug SC Midline For HP DL160 G8/DL320e G8/DL360e G8/DL360p G8/DL380e G8/DL380p G8 DL385p G8/ML310e G8/ML350e G8/ML350p G8											1 085,8		610,0	
628061-B21	HP 3TB 6G SATA 7.2K rpm LFF (3.5-inch) Hot Plug SC Midline For HP DL160 G8/DL320e G8/DL360e G8/DL360p G8/DL380e G8 DL380p G8/DL385p G8/ML310e G8/ML350e G8/ML350p G8											1 397,3		785,0	
	Optical Drives														
481045-B21	HP DVD-ROM Drive For HP DL120 G6/DL160 G6/DL160se G6/DL165 G7/DL320 G6/DL320 G5p											338,2		190,0	
532066-B21	HP DVD-ROM 12.7mm For HP DL360 G6/DL360 G7											231,4		130,0	
447326-B21	HP HH DVD ROM Kit For HP ML 110 G5/ML 150 G5/ML 350 G5/ML 110 G6/ML 150 G6/ML 350 G6/DL 370 G6											188,7		106,0	
	Power Supply														
503296-B21	HP 460W CS HE Power Supply Kit For HP DL180 G6/DL320 G6/DL360 G6/DL360 G7/DL370 G6/DL380 G6/DL380 G7/DL385 G6 DL385 G7/DL1000/ML350 G6/ML370 G6/SL160z G6/SL165z G7/SL170z G6/SL2x170z G6/SL390s G7/DL385 G5p											587,4		330,0	
593188-B21	HP 460W Common Slot Platinum Hot Plug Power Supply Kit For HP DL180 G6/DL360 G7/DL380 G7/DL385 G7											587,4		330,0	
656362-B21	HP 460W Common Slot Platinum Plus Hot Plug Power Supply Kit For HP DL160 G8/DL320e G8/DL360e G8/DL360p G8/DL380e G8/DL380p G8 DL385p G8/ML350e G8/ML350e G8/ML350p G8											685,3		385,0	
512327-B21	HP 750W Common Slot Gold Hot Plug Power Supply Kit For HP DL360e G8/DL360p G8/DL380e G8/DL380p G8/DL385p G8/ML350e G8 ML350e G8/ML350p G8/DL180 G6/DL360 G6/ant DL360 G7/DL370 G6/DL380 G6 DL380 G7/DL385 G5p/DL385 G6/iant DL385 G7/ML150 G6/ML330 G6/ML350 G6/ML370 G6											697,8		392,0	
	Accessories for IBM Servers														
49Y3727	IBM 300GB 6Gbps SAS 15K HP3.5" Hot-Swap HDD											489,5		275,0	
41Y8226	IBM 500GB Hot-Swap 3.5" SATA II HDD											258,1		145,0	
49Y3734	IBM 2GB DDR3 PC3-10600 CL9											112,1		63,0	